

Publication list of Franz-Josef Lübken

Status: 27. January 2016

In peer reviewed journals:

- [1] E. V. Thrane, O. Andreassen T. Blix, B. Grandal, A. Brekke, C. R. Philbrick, F. J. Schmidlin, H.-U. Widdel, U. von Zahn, and F.-J. Lübken. Neutral air turbulence in the upper atmosphere observed during the energy budget campaign. *J. Atmos. Terr. Phys.*, 47:243–264, 1985.
- [2] F.-J. Lübken, U. von Zahn, E. V. Thrane, T. Blix, G. A. Kokin, and S. V. Pachomov. In situ measurements of turbulent energy dissipation rates and eddy diffusion coefficients during MAP/WINE. *J. Atmos. Terr. Phys.*, 49:763–775, 1987.
- [3] F.-J. Lübken and U. von Zahn. Simultaneous temperature measurements in the mesosphere and lower thermosphere during the MAC/EPSILON campaign. *Planet. Space Sci.*, 37:1303–1314, 1989.
- [4] T. X. Blix, E. V. Thrane, D. C. Fritts, U. von Zahn, F.-J. Lübken, W. Hillert, S. P. Blood, J. D. Mitchell, G. A. Kokin, and S. V. Pakhomov. Small scale structure observed in situ during MAC/EPSILON. *J. Atmos. Terr. Phys.*, 52:835–854, 1990.
- [5] F.-J. Lübken, U. von Zahn, A. Manson, C. Meek, U.-P. Hoppe, F. J. Schmidlin, J. Stegman, D. P. Murtagh, R. Rüster, G. Schmidt, H.-U. Widdel, and P. Espy. Mean state densities, temperatures and winds during the MAC/SINE and MAC/EPSILON campaigns. *J. Atmos. Terr. Phys.*, 52:955–970, 1990.
- [6] F.-J. Lübken, U. von Zahn, T. Blix, and E. Thrane. Turbulent small-scale neutral and ion density fluctuations: first results of the MAC/EPSILON campaign. *Adv. Space Res.*, 10(10):251–255, 1990.
- [7] U. von Zahn, F.-J. Lübken, and Ch. Pütz. 'BUGATTI' experiments: mass spectrometric studies of lower thermosphere eddy mixing and turbulence. *J. Geophys. Res.*, 95:7443–7465, 1990.
- [8] F.-J. Lübken, R. Eng, D. R. Karecki, G. I. Mackay, S. Nadler, and H. I. Schiff. The effect of water vapour broadening on methane eddy correlation flux measurements. *J. Atmos. Chem.*, 13:97–108, 1991.
- [9] A. Friker and F.-J. Lübken. Neutral air density and temperature measurements by the TOTAL instrument aboard the ROSE payload. *J. Atmos. Terr. Phys.*, 54:693–701, 1992.

- [10] F.-J. Lübken and U. von Zahn. Thermal structure of the mesopause region at polar latitudes. *J. Geophys. Res.*, 96:20,841–20,857, 1991.
- [11] F.-J. Lübken, W. Hillert, G. Lehmacher, and U. von Zahn. Neutral air turbulence during DYANA: first results. *Adv. Space Res.*, 12:(10)135–(10)139, 1992.
- [12] G. Rose, K. Schlegel, K. Rinnert, H. Kohl, E. Nielsen, G. Dehmel, A. Friker, F.-J. Lübken, H. Lühr, E. Neske, and A. Steinweg. The ROSE project: scientific objectives and discussion of results. *J. Atmos. Terr. Phys.*, 54:657–667, 1992.
- [13] F.-J. Lübken. On the extraction of turbulent parameters from atmospheric density fluctuations. *J. Geophys. Res.*, 97:20,385–20,395, 1992.
- [14] F.-J. Lübken, W. Hillert, G. Lehmacher, and U. von Zahn. Experiments revealing small impact of turbulence on the energy budget of the mesosphere and lower thermosphere. *J. Geophys. Res.*, 98:20,369–20,384, 1993.
- [15] M. Alpers, T. Blix, S. Kirkwood, D. Krankowsky, F.-J. Lübken, S. Lutz, and U. von Zahn. First simultaneous measurements of neutral and ionized iron densities in the upper mesosphere. *J. Geophys. Res.*, 98:275–283, 1993.
- [16] F.-J. Lübken, G. Lehmacher, T. Blix, U.-P. Hoppe, E. Thrane, J. Cho, and W. Swartz. First in-situ observations of neutral and plasma density fluctuations within a PMSE layer. *Geophys. Res. Lett.*, 20:2311–2314, 1993.
- [17] F.-J. Lübken, J. Giebeler, T. Blix, E. Thrane, W. Singer, and J. Bremer. In-situ measurement of the Schmidt number within a PMSE layer. *Geophys. Res. Lett.*, 21:1651–1654, 1994.
- [18] U.-P. Hoppe, T. Blix, E. Thrane, F.-J. Lübken, J. Cho, and W. Swartz. Studies of polar mesosphere summer echoes by VHF radar and rocket probes. *Adv. Space Res.*, 14(9):139–148, 1994.
- [19] N. Gonzalez, A. Hauchecorne, S. Kirkwood, F.-J. Lübken, A. Manson, A. Mourier, F.J. Schmidlin, R. Schminder, D. Kürschner, W. Singer, and H.-U. Widdel. Intercomparisons of simultaneous remote and *in situ* wind measurements. *J. Atmos. Terr. Phys.*, 56:1985–2001, 1994.
- [20] F.-J. Lübken, W. Hillert, G. Lehmacher, U. von Zahn, T. Blix, E. Thrane, H.-U. Widdel, G. A. Kokin, and A. K. Knyazev. Morphology and sources of turbulence in the mesosphere during DYANA. *J. Atmos. Terr. Phys.*, 56:1809–1833, 1994.
- [21] F.-J. Lübken, W. Hillert, G. Lehmacher, U. von Zahn, M. Bittner, D. Offermann, F. Schmidlin, A. Hauchecorne, M. Mourier, and P. Czechowsky. Intercomparison of density and temperature profiles obtained by lidar, ionization gauges, falling spheres, datasondes, and radiosondes during the DYANA campaign. *J. Atmos. Terr. Phys.*, 56:1969–1984, 1994.
- [22] B. Inhester, J. Klostermeyer, F.-J. Lübken, and U. von Zahn. Evidence for ice clouds causing polar mesospheric summer echoes. *J. Geophys. Res.*, 99:20,937–20,954, 1994.

- [23] E. Thrane, T. Blix, U.-P. Hoppe, F.-J. Lübken, W. Hillert, G. Lehmacher, and D. Fritts. A study of small-scale waves and turbulence in the mesosphere using simultaneous *in situ* observations of neutral and plasma fluctuations. *J. Atmos. Terr. Phys.*, 56:1797–1808, 1994.
- [24] M. Bittner, D. Offermann, I. V. Bugaeva, G. Kokin, J. Koshelkov, A. Krivolutzky, D. Tarasenko, M. Gil-Ojeda, A. Hauchecorne, F.-J. Lübken, B. de la Morena, A. Mourier, H. Nakane, K. Oyama, F. J. Schmidlin, I. Soule, L. Thomas, and T. Tsuda. Long period/ large scale oscillations of temperature during the DYANA campaign. *J. Atmos. Terr. Phys.*, 56:1675–1700, 1994.
- [25] W. Hillert, F.-J. Lübken, and G. Lehmacher. TOTAL: A rocket-borne instrument for high resolution measurements of neutral air turbulence during DYANA. *J. Atmos. Terr. Phys.*, 56:1835–1852, 1994.
- [26] G. Lehmacher and F.-J. Lübken. Simultaneous observation of convective adjustment and localized turbulence production in the mesosphere. *Geophys. Res. Lett.*, 22:2477–2480, 1995.
- [27] F.-J. Lübken. Rocket-borne measurements of small scale structures and turbulence in the upper atmosphere. *Adv. Space Res.*, 17(11):25–35, 1996.
- [28] F.-J. Lübken, K.-H. Fricke, and M. Langer. Noctilucent clouds and the thermal structure near the Arctic mesopause. *J. Geophys. Res.*, 101:9489–9508, 1996.
- [29] F.-J. Lübken, K.-H. Fricke, and M. Langer. Correction to "Noctilucent clouds and the thermal structure near the Arctic mesopause". *J. Geophys. Res.*, 101:17045 – 17046, 1996.
- [30] F.-J. Lübken. Aerodynamical effects in number density measurements in the lower thermosphere with the CONE instrument. *Adv. Space Res.*, 19(1):139–144, 1997.
- [31] F.-J. Lübken. Seasonal variation of turbulent energy dissipation rates at high latitudes as determined by insitu measurements of neutral density fluctuations. *J. Geophys. Res.*, 102:13,441–13,456, 1997.
- [32] F.-J. Lübken, M. Rapp, T. Blix, and E. Thrane. Microphysical and turbulent measurements of the Schmidt number in the vicinity of polar mesosphere summer echoes. *Geophys. Res. Lett.*, 25:893–896, 1998.
- [33] F. G. Wienhold, H. Fischer, P. Hoor, V. Wagner, R. Königstedt, G. W. Harris, J. Anders, R. Grisar, M. Knothe, W. J. Riedel, F.-J. Lübken, and Th. Schilling. TRISTAR – a tracer in-situ TDLAS for atmospheric research. *Appl. Phys. B*, 67:411–417, 1998.
- [34] U.-P. Hoppe, T. Eriksen, E. V. Thrane, T. A. Blix, J. Fiedler, and F.-J. Lübken. Observations in the polar middle atmosphere by rocket-borne Rayleigh lidar: First results. *Earth Plan. Space*, 51:815–824, 1999.
- [35] F.-J. Lübken. Thermal structure of the Arctic summer mesosphere. *J. Geophys. Res.*, 104:9135–9149, 1999.

- [36] F.-J. Lübken, F. Dingler, H. von Lucke, J. Anders, W. J. Riedel, and H. Wolf. MASERATI: a rocketborne tunable diode laser absorption spectrometer. *Appl. Optics*, 38:5338–5349, 1999.
- [37] F.-J. Lübken, M. J. Jarvis, and G. O. L. Jones. First in situ temperature measurements at the Antarctic summer mesopause. *Geophys. Res. Lett.*, 26:3581–3584, 1999.
- [38] M. Rapp and F.-J. Lübken. Modelling of positively charged aerosols in the polar summer mesopause region. *Earth Plan. Space*, 51:799–807, 1999.
- [39] F.-J. Lübken. Nearly zero temperature trend in the polar summer mesosphere. *Geophys. Res. Lett.*, 27:3603–3606, 2000.
- [40] M. Rapp and F.-J. Lübken. Electron temperature control of PMSE. *Geophys. Res. Lett.*, 27:3285–3288, 2000.
- [41] M. Tacke, F. Wienhold, R. Grisar, H. Fischer, and F.-J. Lübken. Laser Absorption Spectroscopy, Air Monitoring by Tunable Mid-infrared Diode. In R. A. Meyers, editor, *Encyclopedia of Analytical Chemistry*, pages 2033–2065. John Wiley & Sons Ltd, Chichester, 2000.
- [42] F.-J. Lübken and M. Rapp. Modelling of particle charging in the polar summer mesosphere: Part 2 – Application to measurements. *J. Atmos. Solar-Terr. Phys.*, 63:771–780, 2001.
- [43] F.-J. Lübken. No long term change of the thermal structure in the mesosphere at high latitudes during summer. *Adv. Space Res.*, 28(7):947–953, 2001.
- [44] M. Rapp and F.-J. Lübken. Modelling of particle charging in the polar summer mesosphere: Part 1 – General results. *J. Atmos. Solar-Terr. Phys.*, 63:759–770, 2001.
- [45] M. Rapp, J. Gumbel, and F.-J. Lübken. Absolute density measurements in the middle atmosphere. *Ann. Geophys.*, 19:571–580, 2001.
- [46] Y.-F. Wu, J. Xu, H.U. Widdel, and F.-J. Lübken. Mean characteristics of the spectrum of horizontal velocity in the polar summer mesosphere and lower thermosphere observed by foil chaff. *J. Atmos. Solar-Terr. Phys.*, 63:1831–1839, 2001.
- [47] G. Baumgarten, F.-J. Lübken, and K.H. Fricke. First observation of one noctilucent cloud by a twin lidar in two different directions. *Ann. Geophys.*, 20:1863–1868, 2002.
- [48] F.-J. Lübken, M. Rapp, and P. Hoffmann. Neutral air turbulence and temperatures in the vicinity of polar mesosphere summer echoes. *J. Geophys. Res.*, 107(D15), 2002.
- [49] A. Müllemann, M. Rapp, F.-J. Lübken, and P. Hoffmann. In situ measurements of mesospheric turbulence during spring transition of the Arctic mesosphere. *Geophys. Res. Lett.*, 29(10), 2002.
- [50] M. Rapp, F.-J. Lübken, A. Müllemann, G. Thomas, and E. Jensen. Small scale temperature variations in the vicinity of NLC: Experimental and model results. *J. Geophys. Res.*, 107(D19), 2002.

- [51] M. Rapp, J. Gumbel, F.-J. Lübken, and R. Latteck. D region electron number density limits for the existence of polar mesosphere summer echoes. *J. Geophys. Res.*, 107(D14), 2002.
- [52] G. Beig, P. Keckhut, R. P. Lowe, R. Roble, M. G. Mlynczak, J. Scheer, V. Fomichev, D. Offermann, W. J. R. French, M. G. Shepherd, A. I. Semenov, E. E. Remsberg, C. Y. She, F.-J. Lübken, J. Bremer, B. R. Clemesha, J. Stegman, F. Sigernes, and S. Fadnavis. Review of mesospheric temperature trends. *Rev. Geophys.*, 41(4), 2003.
- [53] T. A. Blix, J. K. Bekkeng, R. Latteck, F.-J. Lübken, M. Rapp, A. Schöch, W. Singer, B. Smiley, and B. Strelnikov. Rocket probing of PMSE and NLC—Results from the recent MIDAS/MaCWAVE campaign. *Adv. Space Res.*, 31(9):2061–2067, May 2003.
- [54] T. Blix, M. Rapp, and F.-J. Lübken. Relations between small scale electron number density fluctuations, radar backscatter, and charged aerosol particles. *J. Geophys. Res.*, 108(D8), 2003.
- [55] J. Höffner, C. Fricke-Begemann, and F.-J. Lübken. First observations of noctilucent clouds by lidar at Svalbard, 78°N. *Atmos. Chem. Phys.*, 3:1101–1111, 2003.
- [56] F.-J. Lübken and A. Müllemann. Temperatures, densities, and winds in the high latitude (78°N) mesosphere. *Adv. Space Res.*, 32(5):731–740, 2003.
- [57] F.-J. Lübken and A. Müllemann. First in situ temperature measurements in the summer mesosphere at very high latitudes (78°N). *J. Geophys. Res.*, 108(D8), 2003.
- [58] F.-J. Lübken, M. Rapp, and P. Hoffmann. Reply to comment by J. Klostermeyer on „Neutral air turbulence and temperatures in the vicinity of polar mesosphere summer echoes“ by F.-J. Lübken, M. Rapp, and P. Hoffmann. *J. Geophys. Res.*, 108(D11), 2003.
- [59] A. Müllemann, M. Rapp, and F.-J. Lübken. Morphology of turbulence in the polar summer mesopause region during the MIDAS/SOLSTICE campaign 2001. *Adv. Space Res.*, 31(9):2069–2074, 2003.
- [60] M. Rapp and F.-J. Lübken. On the nature of PMSE: Electron diffusion in the vicinity of charged particles revisited. *J. Geophys. Res.*, 108(D8), 2003.
- [61] M. Rapp and F.-J. Lübken. Comment on „The response time of PMSE to ionospheric heating“ by Belova et al. *J. Geophys. Res.*, 108(D23), 2003.
- [62] M. Rapp, F.-J. Lübken, and T. Blix. Small scale density variations of electrons and charged particles in the vicinity of polar mesosphere summer echoes. *Atmos. Chem. Phys.*, 3:1399–1407, 2003.
- [63] M. Rapp, F.-J. Lübken, and T.A. Blix. The role of charged ice particles for the creation of PMSE: A review of recent developments. *Adv. Space Res.*, 31(9):2033–2043, 2003.
- [64] M. Rapp, F.-J. Lübken, P. Hoffmann, R. Latteck, G. Baumgarten, and T. Blix. PMSE dependence on aerosol charge number density and aerosol size. *J. Geophys. Res.*, 108(D8), 2003.

- [65] B. Strelnikov, M. Rapp, and F.-J. Lübken. A new technique for the analysis of neutral air density fluctuations measured in situ in the middle atmosphere. *Geophys. Res. Lett.*, 30(20), 2003.
- [66] J. Thayer, G. Thomas, and F.-J. Lübken. Foreword: Layered phenomena in the mesopause region. *J. Geophys. Res.*, 108(D8), 2003.
- [67] E. Becker, A. Müllemann, F.-J. Lübken, H. Körnich, P. Hoffmann, and M. Rapp. High Rossby-wave activity in austral winter 2002: Modulation of the general circulation of the MLT during the MacWAVE/MIDAS northern summer program. *Geophys. Res. Lett.*, 31, 2004.
- [68] M. Friedrich, M. Harrich, R. J. Steiner, K. M. Torkar, and F.-J. Lübken. The quiet auroral ionosphere and its neutral background. *Adv. Space Res.*, 33:943–948, 2004.
- [69] D. C. Fritts, B. P. Williams, J. She, J. Vance, M. Rapp, F.-J. Lübken, and R. Goldberg. Observations of extreme temperature and wind gradients near the summer mesopause during the MacWAVE/MIDAS rocket campaign. *Geophys. Res. Lett.*, 31, 2004.
- [70] R. A. Goldberg, D. C. Fritts, B. P. Williams, F.-J. Lübken, M. Rapp, W. Singer, R. Latteck, P. Hoffmann, A. Mann, G. Baumgarten, F. J. Schmidlin, C.-Y. She, and D. A. Krueger. The MacWAVE/MIDAS rocket and ground-based measurement of polar summer dynamics: Overview and mean state structure. *Geophys. Res. Lett.*, 31, 2004.
- [71] F.-J. Lübken and J. Höffner. Experimental evidence for ice particle interaction with metal atoms at the high latitude summer mesopause region. *Geophys. Res. Lett.*, 31(8), 2004.
- [72] F.-J. Lübken, M. Zecha, J. Höffner, and J. Röttger. Temperatures, polar mesosphere summer echoes, and noctilucent clouds over Spitsbergen (78°N). *J. Geophys. Res.*, 109, 2004.
- [73] F.-J. Lübken, A. Müllemann, and M. J. Jarvis. Temperatures and horizontal winds in the Antarctic summer mesosphere. *J. Geophys. Res.*, 109, 2004.
- [74] M. Rapp, B. Strelnikov, A. Müllemann, F.-J. Lübken, and D. C. Fritts. Turbulence measurements and implications for gravity wave dissipation during the MacWave/MIDAS rocket program. *Geophys. Res. Lett.*, 31, 2004.
- [75] M. Rapp and F.-J. Lübken. Polar mesosphere summer echoes (PMSE): Review of observations and current understanding. *Atmos. Chem. Phys.*, 4:2601–2633, 2004.
- [76] B. P. Williams, D. C. Fritts, L. Wang, C. Y. She, J. D. Vance, F. J. Schmidlin, R. A. Goldberg, A. Müllemann, and F.-J. Lübken. Gravity waves in the arctic mesosphere during the MacWAVE/MIDAS summer rocket program. *Geophys. Res. Lett.*, 31, 2004.
- [77] R. E. Hibbins, J. D. Shanklin, P. J. Espy, M. J. Jarvis, D. M. Riggin, D. C. Fritts, and F.-J. Lübken. Seasonal variations in the horizontal wind structure from 0-100 km above Rothera station, Antarctica (67°S, 68°W). *Atmos. Chem. Phys.*, 5:2973–2980, 2005.

- [78] A. Müllemann and F.-J. Lübken. Horizontal winds in the mesosphere at high latitudes. *Adv. Space Res.*, 35(11):1890–1894, 2005.
- [79] M. Rapp, J. Hedin, I. Strelnikova, M. Friedrich, J. Gumbel, and F.-J. Lübken. Observations of positively charged nanoparticles in the nighttime polar mesosphere. *Geophys. Res. Lett.*, 32, 2005.
- [80] U. Berger and F.-J. Lübken. Weather in mesospheric ice layers. *Geophys. Res. Lett.*, 33, 2006.
- [81] A. Brattli, T. A. Blix, Ø. Lie-Svendsen, U.-P. Hoppe, F.-J. Lübken, M. Rapp, W. Singer, R. Latteck, and M. Friedrich. Rocket measurements of positive ions during polar mesosphere winter echo conditions. *Atmos. Chem. Phys.*, 6:5515–5524, 2006.
- [82] J. Höffner, J. Lautenbach, C. Fricke-Begemann, and F.-J. Lübken. Polar mesosphere temperature observations by lidar and falling sphere at 78°N. In C. Nagasawa and N. Sugimoto, editors, *Proceedings of the 23rd ILRC Conference, Nara, Japan, 24-28 July 2006*, volume ISBN4-9902916-0-3, pages 373–376, 2006.
- [83] G. A. Lehmacher, C. L. Croskey, J. D. Mitchell, M. Friedrich, F.-J. Lübken, M. Rapp, E. Kudeki, and D. C. Fritts. Intense turbulence observed above mesospheric temperature inversion at equatorial latitude. *Geophys. Res. Lett.*, 33, 2006.
- [84] F.-J. Lübken, B. Strelnikov, M. Rapp, W. Singer, R. Latteck, A. Brattli, U.-P. Hoppe, and M. Friedrich. The thermal and dynamical state of the atmosphere during polar mesosphere winter echoes. *Atmos. Chem. Phys.*, 6:13–24, 2006.
- [85] M. Rauthe, M. Gerding, J. Höffner, and F.-J. Lübken. Lidar temperature measurements of gravity waves over Kühlungsborn (54°N) from 1 to 105 km: A winter-summer comparison. *J. Geophys. Res.*, 111(D24), 2006.
- [86] C. Y. She, B. P. Williams, P. Hoffmann, R. Latteck, G. Baumgarten, J. D. Vance, J. Fiedler, P. Acott, D. C. Fritts, and F.-J. Lübken. Simultaneous observation of sodium atoms, NLC and PMSE in the summer mesopause region above ALOMAR, Norway (69°N, 12°E). *J. Atmos. Solar-Terr. Phys.*, 68:93–101, 2006.
- [87] B. Strelnikov, M. Rapp, T. A. Blix, N. Engler, J. Höffner, J. Lautenbach, F.-J. Lübken, B. Smiley, and M. Friedrich. In situ observations of small scale neutral and plasma dynamics in the mesosphere/lower thermosphere at 79°N. *Adv. Space Res.*, 38:2388–2393, 2006.
- [88] M. Gerding, J. Höffner, M. Rauthe, W. Singer, M. Zecha, and F.-J. Lübken. Simultaneous observation of noctilucent clouds, mesospheric summer echoes, and temperature at a midlatitude station (54°N). *J. Geophys. Res.*, 112, 2007.
- [89] F. Herbort, G. Baumgarten, U. Berger, J. Fiedler, P. Hoffmann, and F.-J. Lübken. Tidal structures within the LIMA model. *Adv. Space Res.*, 40:802–808, 2007.
- [90] J. Höffner and F.-J. Lübken. Potassium lidar temperatures and densities in the mesopause region at Spitsbergen (78°N). *J. Geophys. Res.*, 2007.

- [91] F.-J. Lübken, M. Rapp, and I. Strelnikova. The sensitivity of mesospheric ice layers to atmospheric background temperatures and water vapor. *Adv. Space Res.*, 40:794–801, 2007.
- [92] F.-J. Lübken, W. Singer, R. Latteck, and I. Strelnikova. Radar measurements of turbulence, electron densities, and absolute reflectivities during polar mesosphere winter echoes (PMWE). *Adv. Space Res.*, 40:758–764, 2007.
- [93] F.-J. Lübken and U. Berger. Interhemispheric comparison of mesospheric ice layers from the LIMA model. *J. Atmos. Solar-Terr. Phys.*, 69/17-18:2292–2308, 2007.
- [94] S. Raizada, M. Rapp, F.-J. Lübken, J. Höffner, M. Zecha, and J. M. C. Plane. The effect of ice particles on the mesospheric potassium layer at Spitsbergen 78°N. *J. Geophys. Res.*, 112, 2007.
- [95] G. Baumgarten, J. Fiedler, F.-J. Lübken, and G. von Cossart. Particle properties and water content of noctilucent clouds and their interannual variation. *J. Geophys. Res.*, 113, 2008.
- [96] M. Gerding, J. Höffner, J. Lautenbach, M. Rauthe, and F.-J. Lübken. Seasonal variation of nocturnal temperatures between 1 and 105 km altitude at 54°N observed by Lidar. *Atmos. Chem. Phys.*, 8:7465–7482, 2008.
- [97] J. Lautenbach, J. Höffner, F.-J. Lübken, and M. Zecha. The thermal structure at the topside and above of polar mesosphere summer echoes over Spitsbergen 78°N. *Ann. Geophys.*, 26:1083–1088, 2008.
- [98] F.-J. Lübken, G. Baumgarten, J. Fiedler, M. Gerding, J. Höffner, and U. Berger. Seasonal and latitudinal variation of noctilucent cloud altitudes. *Geophys. Res. Lett.*, 35, 2008.
- [99] M. Rauthe, M. Gerding, and F.-J. Lübken. Seasonal changes in gravity wave activity measured by Lidars at mid-latitudes. *Atmos. Chem. Phys.*, 8:6775–6787, 2008.
- [100] R. L. Collins, S. M. Bailey, F.-J. Lübken, and A. W. Merkel. Foreword special issue on global perspectives on the aeronomy of the summer mesopause region. *J. Atmos. Solar-Terr. Phys.*, pages 285–288, 2009.
- [101] J. Fiedler, G. Baumgarten, and F.-J. Lübken. NLC observations during one solar cycle above ALOMAR. *J. Atmos. Solar-Terr. Phys.*, pages 424–433, 2009.
- [102] F.-J. Lübken, U. Berger, and G. Baumgarten. Stratospheric and solar cycle effects on long-term variability of mesospheric ice clouds. *J. Geophys. Res.*, 2009.
- [103] F.-J. Lübken, J. Lautenbach, J. Höffner, M. Rapp, and M. Zecha. First continuous temperature measurements within polar mesosphere summer echoes. *J. Atmos. Solar-Terr. Phys.*, pages 453–463, 2009.
- [104] M. Rapp and F.-J. Lübken. Comment on 'Ice iron/sodium film as cause for high noctilucent cloud Radar reflectivity' by P. M. Bellan. *J. Geophys. Res.*, 114, 2009.

- [105] M. Gerding, J. Höffner, M. Kopp, R. Eixmann, and F.-J. Lübken. Mesospheric temperature and aerosol soundings during day and night: Spectral and spatial filtering techniques. In *Reviewed and revised papers at the 25th International Laser Radar Conference, St. Petersburg, Russia, 2010*, pages 67–70, 2010.
- [106] P. Hartogh, G. R. Sonnemann, Song Li, M. Grygalashvyly, U. Berger, and F.-J. Lübken. Water vapor measurements at ALOMAR over a solar cycle compared with model calculations by LIMA. *J. Geophys. Res.*, 115, 2010.
- [107] F.-J. Lübken, J. Austin, U. Langematz, and J. Oberheide. Introduction to special section on Climate and Weather of the Sun Earth System. *J. Geophys. Res.*, 115, 2010.
- [108] M. Rapp and F.-J. Lübken. Reply to comment by P. M. Bellan on „Comment on ‘Ice iron/sodium film as cause for high noctilucent cloud radar reflectivity’“. *J. Geophys. Res.*, 115, 2010.
- [109] U. Berger and F.-J. Lübken. Mesospheric temperature trends at mid-latitudes in summer. *Geophys. Res. Lett.*, 38, 2011.
- [110] J. Fiedler, G. Baumgarten, U. Berger, P. Hoffmann, N. Kaifler, and F.-J. Lübken. NLC and the background atmosphere above ALOMAR. *Atmos. Chem. Phys.*, 11:5701–5717, 2011.
- [111] J. Gumbel, H. Körnich, S. M. Bailey, F.-J. Lübken, and R. Morris. Foreword: Special issue on layered phenomena in the mesopause region. *J. Atmos. Solar-Terr. Phys.*, 73:2045–2048, 2011.
- [112] N. Kaifler, G. Baumgarten, J. Fiedler, R. Latteck, F.-J. Lübken, and M. Rapp. Coincident measurements of PMSE and NLC above ALOMAR (69° N, 16° E) by Radar and Lidar from 1999-2008. *Atmos. Chem. Phys.*, 11:1355–1366, 2011.
- [113] G. A. Lehmacher, T. D. Scott, M. F. Larsen, S. Bilén, C. L. Croskey, J. D. Mitchell, M. Rapp, F.-J. Lübken, and R. L. Collins. The turbopause experiment: Atmospheric stability and turbulent structure spanning the turbopause altitude. *Ann. Geophys.*, 29:2327–2339, 2011.
- [114] F.-J. Lübken and U. Berger. Latitudinal and interhemispheric variation of stratospheric effects on mesospheric ice layer trends. *J. Geophys. Res.*, 116, 2011.
- [115] F.-J. Lübken, J. Höffner, T. P. Viehl, B. Kaifler, and R. J. Morris. First measurements of thermal tides in the summer mesopause region at Antarctic latitudes. *Geophys. Res. Lett.*, 38, 2011.
- [116] A. Theuerkauf, M. Gerding, and F.-J. Lübken. LITOS – a new balloon-borne instrument for fine-scale turbulence soundings in the stratosphere. *Atmos. Meas. Tech.*, 4:55–66, 2011.
- [117] U. Achatz, F. Senf, and N. Grieger. Solar tides in the middle atmosphere: Interactions with the zonal-mean flow, planetary waves and gravity waves. In F.-J. Lübken, editor, *Climate And Weather of the Sun-Earth System (CAWSES): Highlights from a priority program*. Springer, Dordrecht, The Netherlands, 2012.

- [118] A. Gabriel, I. Höschel, D. Peters, I. Kirchner, and H.-F. Graf. The influence of zonally asymmetric stratospheric ozone on the coupling of atmospheric layers. In F.-J. Lübken, editor, *Climate And Weather of the Sun-Earth System (CAWSES): Highlights from a priority program*. Springer, Dordrecht, The Netherlands, 2012.
- [119] J. Hildebrand, G. Baumgarten, J. Fiedler, U.-P. Hoppe, B. Kaifler, F.-J. Lübken, and B. P. Williams. Combined wind measurements by two different lidar instruments in the Arctic middle atmosphere. *Atmos. Meas. Tech.*, 5:2433–2445, 2012.
- [120] A. A. Kutepov, A. G. Feofilov, A. S. Medvedev, U. Berger, M. Kaufmann, and A. W. A. Pauldrach. Infra-red radiative cooling/heating of mesosphere and lower thermosphere due to the small-scale temperature fluctuations associated with gravity waves. In F.-J. Lübken, editor, *Climate And Weather of the Sun-Earth System (CAWSES): Highlights from a priority program*. Springer, Dordrecht, The Netherlands, 2012.
- [121] F.-J. Lübken. Scientific summary of the German CAWSES priority program. In F.-J. Lübken, editor, *Climate And Weather of the Sun-Earth System (CAWSES): Highlights from a priority program*. Springer, Dordrecht, The Netherlands, 2012.
- [122] F.-J. Lübken, U. Berger, J. Kiliani, G. Baumgarten, and J. Fiedler. Solar variability and trend effects in mesospheric ice layers. In F.-J. Lübken, editor, *Climate And Weather of the Sun-Earth System (CAWSES): Highlights from a priority program*. Springer, Dordrecht, The Netherlands, 2012.
- [123] R. J. Morris, J. Höffner, F.-J. Lübken, T. P. Viehl, B. Kaifler, and A. K. Klekociuk. Experimental evidence of a stratospheric circulation influence on mesospheric temperatures and ice-particles during the 2010-11 austral summer at 69°S. *J. Atmos. Solar-Terr. Phys.*, 89:54–61, 2012.
- [124] M. Rapp, I. Strelnikova, Q. Li, N. Engler, and G. Teiser. Charged aerosol effects on the scattering of radar waves from the D-region. In F.-J. Lübken, editor, *Climate And Weather of the Sun-Earth System (CAWSES): Highlights from a priority program*. Springer, Dordrecht, The Netherlands, 2012.
- [125] J. Röttger, N. Engler, and M. T. Rietveld. EISCAT’s contributions to high latitude ionosphere and atmosphere science within CAWSES in Germany. In F.-J. Lübken, editor, *Climate And Weather of the Sun-Earth System (CAWSES): Highlights from a priority program*. Springer, Dordrecht, The Netherlands, 2012.
- [126] C. von Savigny, C. Robert, N. Rahpoe, H. Winkler, E. Becker, H. Bovensmann, J. P. Burrows, and M. T. DeLand. Impact of short-term solar variability on the polar summer mesopause and noctilucent clouds. In F.-J. Lübken, editor, *Climate And Weather of the Sun-Earth System (CAWSES): Highlights from a priority program*. Springer, Dordrecht, The Netherlands, 2012.
- [127] W. Singer, P. Hoffmann, G. Kishore Kumar, N. J. Mitchell, and V. Matthias. Atmospheric coupling by gravity waves: climatology of gravity wave activity, mesospheric turbulence and their relations to solar activity. In F.-J. Lübken, editor, *Climate And Weather of the Sun-Earth System (CAWSES): Highlights from a priority program*. Springer, Dordrecht, The Netherlands, 2012.

- [128] G. R. Sonnemann, P. Hartogh, U. Berger, F.-J. Lübken, and M. Grygalashvyly. Anthropogenic effects on the distribution of minor chemical constituents in the mesosphere/lower thermosphere - a model study. *Adv. Space Res.*, 50:598–618, 2012.
- [129] M. H. Stevens, S. Lossow, J. Fiedler, G. Baumgarten, F.-J. Lübken, K. Hallgren, P. Hartogh, C. E. Randall, J. Lumpe, S. M. Bailey, R. Niciejewski, R. R. Meier, J. M. C. Plane, A. J. Kochenash, D. P. Murtagh, and C. R. Englert. Bright polar mesospheric clouds formed by main engine exhaust from the space shuttle’s final launch. *J. Geophys. Res.*, 117, 2012.
- [130] S. M. Bailey, M. DeLand, J. M. Russell III, and F.-J. Lübken. Science results from the 10th layered phenomena in the mesopause region workshop. *J. Atmos. Solar-Terr. Phys.*, 104:148–150, 2013.
- [131] M. Gerding, J. Höffner, P. Hoffmann, M. Kopp, and F.-J. Lübken. Noctilucent cloud variability and mean parameters from 15 years of lidar observations at a mid-latitude site (54°N, 12°E). *J. Geophys. Res.*, 118:317–328, 2013.
- [132] M. Gerding, M. Kopp, P. Hoffmann, J. Höffner, and F.-J. Lübken. Diurnal variation of midlatitude NLC parameters observed by daylight-capable lidar and their relation to ambient parameters. *Geophys. Res. Lett.*, 40:6390–6394, 2013.
- [133] N. Kaifler, G. Baumgarten, A. R. Klekociuk, S. P. Alexander, J. Fiedler, and F.-J. Lübken. Small scale structures of NLC observed by lidar at 69°N/69°S and their possible relation to gravity waves. *J. Atmos. Solar-Terr. Phys.*, 104:244–252, 2013.
- [134] N. Kaifler, G. Baumgarten, J. Fiedler, and F.-J. Lübken. Quantification of waves in lidar observations of noctilucent clouds at scales from seconds to minutes. *Atmos. Chem. Phys.*, 13:11757–11768, 2013.
- [135] J. Kiliani, G. Baumgarten, F.-J. Lübken, U. Berger, and P. Hoffmann. Temporal and spatial characteristics of the formation of strong noctilucent clouds. *J. Atmos. Solar-Terr. Phys.*, 104:151–166, 2013.
- [136] F.-J. Lübken, U. Berger, and G. Baumgarten. Temperature trends in the midlatitude summer mesosphere. *J. Geophys. Res.*, 118:13347–13360, 2013.
- [137] B. Strelnikov, M. Rapp, and F.-J. Lübken. In-situ density measurements in the mesosphere/lower thermosphere region with the TOTAL and CONE instruments. In K. Oyama, editor, *An Introduction to Space Instrumentation*, pages 1–11. Terra Publishers, 2013.
- [138] S. Suzuki, F.-J. Lübken, G. Baumgarten, N. Kaifler, R. Eixmann, B. P. Williams, and T. Nakamura. Vertical propagation of mesoscale gravity wave from the lower to the upper atmosphere. *J. Atmos. Solar-Terr. Phys.*, 97:29–36, 2013.
- [139] M. Grygalashvyly, G. R. Sonnemann, F.-J. Lübken, P. Hartogh, and U. Berger. Hydroxyl layer: mean state and trends at mid latitudes. *J. Geophys. Res.*, 119:12391–12419, 2014.
- [140] A. Haack, M. Gerding, and F.-J. Lübken. Characteristics of stratospheric turbulent layers measured by LITOS and their relation to the Richardson number. *J. Geophys. Res.*, 119:10605–10618, 2014.

- [141] F.-J. Lübken. Turbulent scattering for radars: A summary. *J. Atmos. Solar-Terr. Phys.*, 107:1–7, 2014.
- [142] F.-J. Lübken, J. Höffner, T. P. Viehl, B. Kaifler, and R. J. Morris. Winter/summer mesopause temperature transition at Davis (69°S) in 2011/2012. *Geophys. Res. Lett.*, 41:5233–5238, 2014.
- [143] D. H. W. Peters, K. Hallgren, F.-J. Lübken, and P. Hartogh. Subseasonal variability of water vapor in the upper stratosphere/ lower mesosphere over Northern Europe in winter 2009/2010. *J. Atmos. Solar-Terr. Phys.*, 114:9–18, 2014.
- [144] E. Becker, R. Knöpfel, and F.-J. Lübken. Dynamically induced hemispheric differences in the seasonal cycle of the summer polar mesopause. *J. Atmos. Solar-Terr. Phys.*, 129:128–141, 2015.
- [145] U. Berger and F.-J. Lübken. Trends in mesospheric ice layers in the Northern Hemisphere during 1961 - 2013. *J. Geophys. Res.*, 120:11,277–11,298, 2015.
- [146] J. Fiedler, G. Baumgarten, U. Berger, A. Gabriel, R. Latteck, and F.-J. Lübken. On the early onset of the NLC season 2013 as observed at ALOMAR. *J. Atmos. Solar-Terr. Phys.*, 127:73–77, 2015.
- [147] M. Gerding, K. Baumgarten, J. Höffner, and F.-J. Lübken. Lidar soundings between 30 and 100 km altitude during day and night for observation of temperatures, gravity waves and tides. In *Reviewed and revised papers of the 27th International Laser Radar Conference, New York City, USA, 2015*, 2015.
- [148] B. Kaifler, F.-J. Lübken, J. Höffner, R. J. Morris, and T. P. Viehl. Lidar observations of gravity wave activity in the middle atmosphere over Davis (69°S, 78°E), Antarctica. *J. Geophys. Res.*, pages 4506–4521, 2015.
- [149] J. Kiliani, G. Baumgarten, F.-J. Lübken, and U. Berger. Impact of particle shape on the morphology of noctilucent clouds. *Atmos. Chem. Phys.*, 15:12897–12907, 2015.
- [150] M. Kopp, M. Gerding, J. Höffner, and F.-J. Lübken. Tidal signatures in temperatures derived from daylight lidar soundings above Kühlungsborn (54°N, 12°E). *J. Atmos. Solar-Terr. Phys.*, pages 37–50, 2015.
- [151] F.-J. Lübken and K. A. Nicoll. Detecting solar influence on climate: Ground based observations. In *Earth’s climate response to a changing sun*, pages 139–154. Edition Diffusion Presse Sciences, 2015.
- [152] F.-J. Lübken, J. Höffner, T. P. Viehl, E. Becker, R. Latteck, B. Kaifler, D. Murphy, and R. J. Morris. Winter/summer transition in the Antarctic polar mesopause region. *J. Geophys. Res.*, 120:12,394–12409, 2015.
- [153] A. Schneider, M. Gerding, and F.-J. Lübken. Comparing turbulent parameters obtained from LITOS and radiosonde measurements. *Atmos. Chem. Phys.*, 15:2159–2166, 2015.
- [154] T. P. Viehl, J. Höffner, F.-J. Lübken, J. M. C. Plane, B. Kaifler, and R. J. Morris. Summer time Fe depletion in the Antarctic mesopause region. *J. Atmos. Solar-Terr. Phys.*, pages 97–102, 2015.

- [155] R. A. Akmaev, J. M. Forbes, F.-J. Lübken, D. J. Murphy, and J. Höffner. Tides in the mesopause region over Antarctica: Comparison of Whole Atmosphere Model (WAM) simulations with ground-based observations. *J. Geophys. Res.*, 2016. submitted.
- [156] G. Baumgarten, J. Fiedler, J. Hildebrand, and F.-J. Lübken. Inertia gravity wave in the stratosphere and mesosphere observed by Doppler wind and temperature lidar. *Geophys. Res. Lett.*, 2016. submitted.
- [157] F.-J. Lübken, R. Latteck, E. Becker, J. Höffner, and D. Murphy. Summer mesopause jumps at Antarctic latitudes: further observations and explanation. *J. Atmos. Solar-Terr. Phys.*, 2016. submitted.
- [158] T. P. Viehl, F.-J. Lübken, J. Höffner, J. M. C. Plane, B. Kaifler, and R. J. Morris. Corrigendum to „Summer time Fe depletion in the Antarctic mesopause region“ by Viehl et al., 2016. submitted.

In proceedings etc.:

- [159] F.-J. Lübken and U. von Zahn. Small scale density fluctuations at homopause altitudes. In *Proceedings of the 6th ESA-PAC Symposium on European Rocket and Balloon Programmes and Related Research, Interlaken, Switzerland (ESA SP-183)*, pages 31–38, Eur. Space Agency, Neuilly, France, 1983.
- [160] F.-J. Lübken, Ch. Pütz, and U. von Zahn. Turbulent parameters of the lower thermosphere as determined by mass spectrometer during the 'MAP/WINE' campaign. In *Proceedings of the 7th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Loen, Norway (ESA SP-229)*, pages 259–265, Eur. Space Agency, Neuilly, France, 1985.
- [161] F.-J. Lübken. TOTAL: a new instrument to study turbulent parameters in the mesosphere and lower thermosphere. In *Proceedings of the 8th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Sunne, Sweden (ESA SP-270)*, pages 215–220, 1987.
- [162] W. Hillert and F.-J. Lübken. Neutral air turbulence in the middle and upper atmosphere observed during the MAC/EPSILON campaign. *Proceedings of the 9th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Lahnstein, West-Germany (ESA SP-291)*, ESA-SP 291:179–186, 1989.
- [163] F.-J. Lübken, U. von Zahn, T. Blix, and E. Thrane. Turbulent small-scale neutral and ion density fluctuations: first results of the MAC/EPSILON campaign. *MAP-Handbook*, 27:390–35, 1989.
- [164] F.-J. Lübken. MASERATI - a new rocketborne tunable diode laser experiment to measure trace gases in the middle atmosphere. In *Proceedings of the 10th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Cannes-Mandelieu, France (ESA SP-317)*, pages 99–104, 1991.

- [165] F.-J. Lübken and W. Hillert. Measurements of turbulent energy dissipation rates applying spectral models. In *Coupling Processes in the Lower and Middle Atmosphere*, pages 345–351, Loen, Norway, 1992. NATO Advanced Research Workshop, Kluwer Press.
- [166] J. Giebeler, F.-J. Lübken, and M. Nägele. CONE - a new sensor for in-situ observations of neutral and plasma density fluctuations. *Proceedings of the 11th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Montreux, Switzerland (ESA SP)*, ESA-SP-355:311 – 318, 1993.
- [167] F.-J. Lübken. On the role of turbulence for the transport of heat and momentum in the upper atmosphere. *Proceedings of the 11th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Montreux, Switzerland (ESA SP)*, ESA-SP-355:203 – 208, 1993.
- [168] F.-J. Lübken, G. Lehmacher, U. von Zahn, T. Blix, U.-P. Hoppe, and E. Thrane. Neutral and plasma density fluctuations observed within PMSE layers. *Proceedings of the 11th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Montreux, Switzerland (ESA SP)*, ESA-SP-355:35 – 44, 1993.
- [169] F.-J. Lübken and T. Blix. The SCALE 1993 campaign. *STEP Bull.*, 4(4):1–2, 1994.
- [170] M. Langer, K. P. Müller, K. H. Fricke, K. Römke, and F.-J. Lübken. Application of the Rayleigh-lidar technique to observations of noctilucent clouds. In *Proceedings of the 12th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Lillehammer, Norway (ESA SP-370)*, pages 81–86, Eur. Space Agency, Neuilly, France, 1995.
- [171] F.-J. Lübken, K.-H. Fricke, M. Langer, P. Hoffmann, W. Singer, B. Inhester, and G. Witt. Simultaneous measurements of noctilucent clouds, polar mesosphere summer echoes, and the temperature near the mesopause. In *Proceedings of the 12th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Lillehammer, Norway (ESA SP-370)*, pages 61–66, Eur. Space Agency, Neuilly, France, 1995.
- [172] P. Hoffmann, W. Singer, D. Keuer, R. Rüster, P. Czechowsky, C. E. Meek, F.-J. Lübken, and M. Burrage. Comparison of winds as measured by different techniques during the ECHO-94 campaign in Northern Norway. In *7th Workshop on technical and scientific aspects of MST radars*, pages 166–169, Hilton Head Island, USA, 1995. STEP.
- [173] J. Giebeler and F.-J. Lübken. Density and temperature measurements in the lower thermosphere with the CONE instrument. In *Proceedings of the 12th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Lillehammer, Norway (ESA SP-370)*, pages 101–106, 1995.
- [174] K. H. Fricke, K. P. Müller, M. Langer, , K. Römke, and F.-J. Lübken. Visual and lidar observation of rocket induced effects in the upper atmosphere above Andøya on Januar 25, 1995. In *Proceedings of the 12th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Lillehammer, Norway (ESA SP-370)*, pages 107–112, Eur. Space Agency, Neuilly, France, 1995.

- [175] C. Hall, T. A. Blix, E. V. Thrane, and F.-J. Lübken. Seasonal variation of mesospheric turbulent kinetic energy dissipation rates at 69°N. In *Proceedings 13th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Oeland, Sweden, 26-29 May 1997 (ESA SP-397)*, pages 505–509, 1997.
- [176] H. Fischer, F. G. Wienhold, P. Hoor, R. Königstedt, F.-J. Lübken, and Th. Schilling. TRISTAR: TRacer In Situ TDLAS for Atmospheric Research. In *7. Statusseminar des Ozonforschungsprogramms des BBWF, Bonn, 10-11 Juli*, page 143. BBWF, 1997.
- [177] F.-J. Lübken and Th. Schilling. Bau eines Einlaßsystems für das Laserabsorptionsspektrometer TDLAS auf dem Höhenforschungsflugzeug STRATO/2C. In *7. Statusseminar des Ozonforschungsprogramms des BBWF, Bonn, 10-11 Juli*, pages 126–142. BBWF, 1997.
- [178] F. Dingler, H. von Lucke, F.-J. Lübken, and A. A. Kutepov. Application of the MASERATI instrument for the detection of non-LTE in the mesosphere. In *Proceedings 13th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Oeland, Sweden, 26-29 May 1997 (ESA SP-397)*, pages 311–316, Eur. Space Agency, Neuilly, France, 1997.
- [179] H. von Lucke, F. Dingler, M. Rapp, F.-J. Lübken, W.J. Riedel, and H. Wolf. The rocket-borne laser absorption spectrometer MASERATI: Scientific aims, experimental method, technical design, and laboratory tests. In *Proceedings 13th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Oeland, Sweden, 26-29 May 1997 (ESA SP-397)*, pages 305–310, Eur. Space Agency, Neuilly, France, 1997.
- [180] F.-J. Lübken and M. Rapp. Polar mesosphere summer echoes and their relationship to turbulence, charged aerosols, and the thermal structure near the mesopause. In *Proceedings 13th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Oeland, Sweden, 26-29 May 1997 (ESA SP-397)*, pages 463–470, Eur. Space Agency, Neuilly, France, 1997.
- [181] W. Singer, P. Hoffmann, S. Wong, F.-J. Lübken U. von Zahn, and R. Rüster. Common-volume observations of mesospheric winds by mf and vhf radars and rockets at the alomar facility, norway in summer 1997. In *8th Workshop on technical and scientific aspects of MST radars*, page ???, Bangalore, India, 1997. STEP.
- [182] F.-J. Lübken. Experimental constraints on gravity wave parameterization from in situ measurements of temperature and turbulence. In *Gravity wave processes and their parameterization in global climate models*, pages 69–84, Santa Fe, USA, 1997. NATO Advanced Research Workshop, Kluwer Press.
- [183] F.-J. Lübken, F. Dingler, and H. von Lucke. MASERATI: Experimental method and first results from a new rocket-borne TDL absorption spectrometer. In *VDI-Berichte*, volume 1366, pages 101–110, Freiburg, 1998.
- [184] Th. Schilling, F.-J. Lübken, F. G. Wienhold, P. Hoor, and H. Fischer. TDLAS trace gas measurements within a mountain wave over northern Scandinavia during the POLSTAR campaign in early 1997. In *Proceedings of the 4th European Symposium*

on Polar stratospheric ozone, Schliersee 22-26 September, volume EUR 18032, pages 490–493. EU commission and BMBF, 1998.

- [185] W. Singer, P. Hoffmann, U. von Zahn, F.-J. Lübken, and A. Müllemann. Observations of mesospheric winds by VHF and MF radars and foil cloud experiments during the TRAMP campaign 1997. In B. Kaldeich-Schürmann, editor, *Proceedings of the 14th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Potsdam, Germany (ESA SP-437)*, pages 275–279, 1999.
- [186] W. Singer, P. Hoffmann, R. Latteck, F.-J. Lübken, U. von Zahn, and C. M. Hall. Intercomparison of common volume wind observations by radars and rocket-borne methods in the Arctic summer mesosphere. In *Proceedings of the Ninth International Workshop on Technical and Scientific Aspects of MST Radar (MST9), SCOSTEP Secret., Toulouse, France*, pages 113–116, 2000.
- [187] F.-J. Lübken, M. Rapp, and P. Hoffmann. Turbulence and temperatures in the upper summer mesosphere related to polar mesosphere summer echoes. In B. Warmbein, editor, *Proceedings of the 15th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Biarritz, France*, volume ESA-SP 471, pages 171–176. Eur. Space Agency, Spec. Publ., 2001.
- [188] F.-J. Lübken. Energiebilanz und Trends in der polaren Mesosphäre. *Kurzfassung eines Vortrages auf der Deutsch-Österreichisch-Schweizerischen Meteorologentagung, Wien, 18.-21.9.2001*, 27:146, 2001.
- [189] F.-J. Lübken. Leuchtende Nachtwolken über der Ostsee: Erste Anzeichen einer Klimaänderung in der oberen Atmosphäre? *Sonderausgabe des Leibniz-Journals*, pages 19–23, 2001.
- [190] A. Müllemann, M. Rapp, F.-J. Lübken, and P. Hoffmann. In situ measurements of mesospheric turbulence during spring transition. In B. Warmbein, editor, *Proceedings of the 15th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Biarritz, France*, volume ESA-SP 471, pages 121–126. Eur. Space Agency, Spec. Publ., 2001.
- [191] M. Rapp and F.-J. Lübken. Recent model results on NLC and PMSE formation. In B. Warmbein, editor, *Proceedings of the 15th ESA Symposium on European Rocket and Balloon Programmes and Related Research, Biarritz, France*, volume ESA-SP 471, pages 195–200. Eur. Space Agency, Spec. Publ., 2001.
- [192] F.-J. Lübken, J. Höffner, C. Fricke-Begemann, A. Müllemann, M. Zecha, and J. Röttger. Mesospheric Layers and Temperatures at Spitsbergen, 78°N. In M. Gadsden and N. James, editors, *Proceedings of the “Mesospheric Clouds” meeting*, volume 45 of *Memoirs of the British Astronomical Association*, pages 97–114, Burlington House, Piccadilly, London, W1J 0DU, U. K., 2002. British Astronomical Association.
- [193] F.-J. Lübken. Report on the Heraeus Seminar on trends in the upper atmosphere. *SPARC Newsletter*, 19:34–35, 2002.
- [194] M. T. DeLand, G. Baumgarten, E. P. Shettle, F.-J. Lübken, G. E. Thomas, and J. J. Olivero. Coincident PMC and NLC Observations at ALOMAR since 1995. In *Proceedings of the Mesospheric Cloud Meeting 2003, Galway, Ireland*, 2003.

- [195] R.A. Goldberg, D.C. Fritts, B.P. Williams, F.J. Schmidlin, C.L. Croskey, J.D. Mitchell, F.-J. Lübken, M. Rapp, W. Singer, R. Latteck, T.A. Blix, M. Friedrich, S. Kirkwood, N. Mitchell, and K. Fricke. The MacWAVE program to study gravity wave forcing of the polar mesosphere during summer and winter. In *Proceedings of the 16th ESA Symposium on European Rocket and Balloon Programmes and Related Research, St. Gallen, Switzerland*, pages 345–350, 2003.
- [196] J. Lautenbach, J. Höffner, C. Fricke-Begemann, F.-J. Lübken, and A. Müllemann. Observations of noctilucent clouds and temperatures at Svalbard at 78° N. In *Proceedings of the Mesospheric Cloud Meeting 2003, Galway, Ireland*, 2003.
- [197] F.-J. Lübken. Leuchtende Nachtwolken und polare Mesosphärenechos. *Physik Journal*, 2(6):47–52, 2003.
- [198] F.-J. Lübken. Untersuchungen in großer Höhe für ein tieferes Verständnis der Atmosphäre. In *Der verschwundene Hering und das Geheimnis des Regenmakers, Umweltforschung in der Leibniz-Gemeinschaft – Qualität und Vielfalt*, pages 27–29. Wissenschaftsgemeinschaft Gottfried Wilhelm Leibniz e. V., 2003.
- [199] F.-J. Lübken and J. Bremer. Trends in der oberen Atmosphäre. *Traditio et Innovatio*, 8(1):40–43, 2003.
- [200] F.-J. Lübken, A. Kutepov, U. von Zahn, and U. Berger. CLIME/RADIMP: Observed and modeled climate changes in the mesosphere - non-lte study of the radiative impact of the lower atmosphere on the mesosphere and lower thermosphere. In *German Climate Research Programme (2001 - 2006), Status Seminar 2003*, pages 381–390, 2003.
- [201] M. Rapp, B. Strelnikov, S. Wilms, F.-J. Lübken, J. Gumbel, and H. Henkel. A new detector for the in situ measurement of meteoric dust particles in the middle atmosphere. In *Proceedings of the 16th ESA Symposium on European Rocket and Balloon Programmes and Related Research, St. Gallen, Switzerland*, pages 379–384, 2003.
- [202] B. Strelnikov, M. Rapp, and F.-J. Lübken. Wavelet analysis applied to neutral density fluctuations measured in situ in the middle atmosphere. In *Proceedings of the 16th ESA Symposium on European Rocket and Balloon Programmes and Related Research, St. Gallen, Switzerland*, pages 321–326, 2003.
- [203] M. Zecha, J. Röttger, F.-J. Lübken, J. Höffner, C. Fricke-Begemann, and A. Müllemann. PMSE, NLC and temperature observation during the ROMA-2001 campaign. In *Proceedings of the 10th Workshop on Technical and Scientific Aspects of MST Radar (MST10), Peru*, 2003.
- [204] F.-J. Lübken. Temperaturmessungen in der oberen Atmosphäre mit bodengestützten Laserinstrumenten. *Landestechnologianzeiger*, 4:13, 2004.
- [205] H. Schmidt, G. P. Brasseur, C. Jacobi, K. Fröhlich, E. Merzlyakov, A. Pogoreltsev, K. U. Grossmann, O. Goussev, F.-J. Lübken, M. Zecha, P. Hoffmann, J. Höffner, W. Singer, E. Manzini, M. Charron, M. Giorgetta, A. A. Kutepov, and A. Feofilov. Mesospheric dynamics, energetics and chemistry (MEDEC). *AFO-Newsletter*, 7:3–7, 2004.

- [206] F.-J. Lübken. Von leuchtenden Nachtwolken und Gezeiten. *Leibniz Nordost*, 1:5–6, 2005.
- [207] F.-J. Lübken. Eisteilchen in 80-90 km Höhe: Indikatoren für die niedrigsten Temperaturen in der Erdatmosphäre. *Promet*, 31(1):19–24, 2005.
- [208] F.-J. Lübken, U. Berger, M. Rapp, G. Baumgarten, and A. Schöch. On the physics of small scale structures in the upper atmosphere (OPOSSUM). In *Results of the German Atmospheric Research Programme - AFO 2000*, pages 130–131. Federal Ministry of Education and Research, 2005.
- [209] H. Schmidt, G. P. Brasseur, C. Jacobi, K. Fröhlich, E. Merzlyakov, A. Pogoreltsev, K. U. Grossmann, O. Gusev, F.-J. Lübken, M. Zecha, P. Hoffmann, J. Höffner, W. Singer, E. Manzini, M. Charron, M. Giorgetta, A. Kutepov, and A. Feofolov. Mesospheric dynamics, energetics and chemistry (MEDEC). In *Results of the German Atmospheric Research Programme - AFO 2000*, pages 124–130. Federal Ministry of Education and Research, 2005.
- [210] M. Gerding, J. Höffner, M. Rauthe, and F.-J. Lübken. Observations of noctilucent clouds and temperature structure from 1 - 105 km by co-located lidars at 54°N. In U. Singh, editor, *Proceedings of the SPIE symposium "Lidar Technologies, Techniques, and Measurements for Atmospheric Remote Sensing II"*, volume 6367. SPIE, Bellingham, WA, October 2006.
- [211] N. Engler, W. Singer, R. Latteck, B. Strelnikov, and F.-J. Lübken. A Comparison of Wind Measurements in the Troposphere and Mesosphere by VHF and MF Radars Together with Other Techniques. In *Proceedings of the 11th International Workshop on Technical and Scientific Aspects of MST Radar (MST11), 11-15 December 2006, Gadanki/Tirupati, India*, pages 598–602, 2007.
- [212] M. Zecha, N. Engler, F.-J. Lübken, and J. Röttger. Characteristics of Polar Mesosphere Summer Echoes at Very High Latitudes. In *Proceedings of the 11th International Workshop on Technical and Scientific Aspects of MST Radar (MST11), 11-15 December 2006, Gadanki/Tirupati, India*, pages 147–152, 2007.
- [213] G. Baumgarten and F.-J. Lübken. Noctilucent clouds: Research at the edge of space. In *SPIE*, 2008.
- [214] R. Büttner, M. Brede, A. Leder, and F.-J. Lübken. Laboruntersuchungen zu Schwerkwellen. In „*Lasermethoden in der Strömungsmesstechnik*“, 17. Fachtagung 2009 Erlangen, (8. - 10. September 2009), 2009.
- [215] M. Gerding, G. Baumgarten, J. Höffner, J. Fiedler, R. Eixmann, and F.-J. Lübken. Temperature and aerosol soundings in the middle atmosphere at different mid and high-latitude Lidar stations during day and night. In *Remote Sensing of Clouds and the Atmosphere XIV, R. H. Picard (Ed.), Proc. SPIE, Vol. 7475 (SPIE, Bellingham, WA), 74750A-1–74750A-12*, 2009.
- [216] M. Gerding, A. Theuerkauf, O. Suminska, T. Köpnick, and F.-J. Lübken. Balloon-borne hot wire anemometer for stratospheric turbulence soundings. In *Proceedings of the 19th ESA Symposium on European Rocket and Balloon Programmes and Related*

Research, 7-11 June 2009, Bad Reichenhall, Germany (ESA SP-671), pages 175–180, 2009.

- [217] J. Hildebrand, G. Baumgarten, J. Fiedler, and F.-J. Lübken. Wind measurements with the ALOMAR RMR-Lidar: Method description and initial results. In *Proceedings of the 19th ESA Symposium on European Rocket and Balloon Programmes and Related Research, 7-11 June 2009, Bad Reichenhall, Germany (ESA SP-671)*, pages 135–139, 2009.
- [218] G. A. Lehmacher, M. F. Larsen, S. Bilén, C. L. Croskey, J. D. Mitchell, F.-J. Lübken, M. Rapp, and R. Collins. „Where is the turbopause?“ rocket campaign: Overview and first results. In *Proceedings of the 19th ESA Symposium on European Rocket and Balloon Programmes and Related Research, 7-11 June 2009, Bad Reichenhall, Germany (ESA SP-671)*, pages 69–74, 2009.
- [219] F.-J. Lübken, U. Berger, G. Baumgarten, and J. Fiedler. LIMA model trends of mesospheric ice layers and comparison with Lidar observations at ALOMAR. In *Proceedings of the 19th ESA Symposium on European Rocket and Balloon Programmes and Related Research, 7-11 June 2009, Bad Reichenhall, Germany (ESA SP-671)*, pages 97–103, 2009.
- [220] A. Theuerkauf, M. Gerding, and F.-J. Lübken. First results of high resolution balloon-borne turbulence measurements in the stratosphere. In *Proceedings of the 19th ESA Symposium on European Rocket and Balloon Programmes and Related Research, 7-11 June 2009, Bad Reichenhall, Germany (ESA SP-671)*, pages 501–505, 2009.
- [221] R. Büttner, M. Brede, A. Leder, and F.-J. Lübken. Experimental investigation on the characteristics of propagating internal waves in laboratory environment. In *Fachtagung „Lasermethoden in der Strömungsmesstechnik“ 7.-9.9. 2010 Cottbus*, 2010.
- [222] M. Brede, R. Büttner, F.-J. Lübken, and A. Leder. Experimentelle Bestimmung von Turbulenz und Mischung in brechenden internen Wellen. In *Fachtagung 'Lasermethoden in der Strömungstechnik', 6. - 8. September 2011, Ilmenau*, 2011.
- [223] M. Kopp, M. Gerding, J. Höffner, M. Zecha, and F.-J. Lübken. Lidar soundings of noctilucent clouds and temperatures during day and night in the summer mid-latitude middle atmosphere. In *Proceedings of the 20th ESA Symposium on European Rocket and Balloon Programmes and Related Research, 22-26 May 2011, Hyeres, France (ESA SP-700)*, pages 409–412, 2011.
- [224] R. Büttner, M. Brede, F.-J. Lübken, and A. Leder. Experimentelle Untersuchungen zur Ausbreitung und Transition interner Wellen. In *Fachtagung 'Lasermethoden in der Strömungsmesstechnik', 4. - 6. September 2012, Rostock*, 2012.
- [225] R. Büttner, A. Leder, and F.-J. Lübken. Experimentelle Untersuchung zur Ausbreitung und Transition interner Wellen. In *Schall und Schwingungen, Wellen und Turbulenz in sensibler Umgebung*, pages 83–102. Postproceedings der DWT-Tagung in Kiel, 17.-20. September 2012, 2012.

- [226] S. Finke, R. Pohlmann, Q. Li, B. Strelnikov, M. Rapp, F.-J. Lübken, J. B. Schumacher, and H. Ewald. Compact telemetry system for small satellites ejected from sounding rockets and balloons. In *Proceedings of the 21th ESA Symposium on European Rocket and Balloon Programmes and Related Research, 9-13 June 2013, Thun, Switzerland (ESA SP-...)*, pages 681–684, 2013.
- [227] Q. Li, B. Strelnikov, M. Rapp, F.-J. Lübken, G. Baumgarten, S. Finke, R. Pohlmann, J.-B. Schumacher, and H. Ewald. Active falling sphere for high-resolution measurements of density, temperature, and horizontal winds in the middle atmosphere. In *Proceedings of the 21th ESA Symposium on European Rocket and Balloon Programmes and Related Research, 9-13 June 2013, Thun, Switzerland (ESA SP-...)*, pages 361–366, 2013.
- [228] J. B. Schumacher, H. Ewald, S. Finke, R. Pohlmann, Q. Li, B. Strelnikov, M. Rapp, and F.-J. Lübken. High precision drag deceleration measurement system to use onboard active falling spheres. In *Proceedings of the 21th ESA Symposium on European Rocket and Balloon Programmes and Related Research, 9-13 June 2013, Thun, Switzerland (ESA SP-...)*, pages 377–381, 2013.
- [229] B. Strelnikov, F.-J. Lübken, M. Rapp, H. Henkel, and H.-J. Heckl. TURB3D: New rocket-borne multi-sensor system to study three-dimensional structures of mesospheric turbulence. pages 101–105, 2015.